

Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

14
12

Tobacco Stocks Report

as of October 1, 1950




U. S. DEPARTMENT OF AGRICULTURE
PRODUCTION AND MARKETING ADMINISTRATION

Washington, D. C.
November 15, 1950

CONTENTS

| | Page |
|---|-------|
| Discussion - - - - - | 1 - 3 |
| Conversion factors for adjusting for losses in weight - - - - - | 4 |
| Stocks of leaf tobacco, by types, converted to a FARM-SALES- WEIGHT equivalent - - - - - | 5 |
| Production, stocks, supply, disappearance, and price of specified types (FARM-SALES-WEIGHT) - - - - - | 6-10 |
| Stocks of leaf tobacco, by types and groups of grades - - - - - | 11-18 |
| Stocks of leaf tobacco, by types, showing separately quantities owned by dealers and manufacturers - - - - - | 19 |
| Stocks of leaf tobacco, summary by types - - - - - | 20 |

Agriculture - Washington



EXPLANATION OF GROUP SYMBOLS

GROUPS OF TYPES 11, 12, 13, and 14:

- A-Wrappers
- B-Leaf and smoking leaf
- C-Cutters
- X-Lugs and primings
- S-Scrap
- N-Nondescript

GROUPS OF TYPES 21, 22, 23, and 24:

- A-Wrappers
- B-Heavy leaf
- C-Thin leaf
- X-Lugs
- S-Scrap
- N-Nondescript

GROUPS OF TYPE 31:

- A-Wrappers
- B-Bright leaf, red leaf, and tips
- C-Lugs and cutters
- X-Trash and flyings
- S-Scrap
- N-Nondescript

GROUPS OF TYPE 32:

- B-Heavy leaf or dull crop
- C-Thin leaf or bright crop
- X-Seconds and ground leaves
- S-Scrap
- N-Nondescript

GROUPS OF TYPES 35, 36, and 37:

- A-Wrappers
- B-Heavy leaf
- C-Thin leaf
- X-Lugs
- S-Scrap
- N-Nondescript

GROUPS OF TYPE 41:

- B-Binders or tops
- C-Fillers (farm wrappers)
- X-Crop-run and stemming grades
- Y-Farm fillers or ground leaves
- S-Scrap
- N-Nondescript

GROUPS OF TYPES 42, 43, and 44:

- C-Fillers (farm wrappers)
- X-Crop-run and stemming grades
- Y-Farm fillers or ground leaves
- S-Scrap
- N-Nondescript

GROUPS OF TYPE 46:

- C-Superior
- X-Inferior
- Y-Defectuoso
- S-Scrap (Picadura)
- N-Nondescript

GROUPS OF TYPES 51, 52:

- A-Wrappers
- B-Binders, seconds, and brokes
- C-Fillers and short darks
- X-Stemming grades
- S-Scrap
- N-Nondescript

GROUPS OF TYPE 53:

- B-Binders, seconds, and brokes
- X-Crop-run and stemming grades
- S-Scrap
- N-Nondescript

GROUPS OF TYPES 54 and 55:

- B-Binders
- C-Fillers
- X-Crop-run and stemming grades
- S-Scrap
- N-Nondescript

GROUPS OF TYPE 56:

- B-Binders
- S-Scrap
- N-Nondescript

GROUPS OF TYPES 61 and 62:

- A-Wrappers
- B-Stout wrappers and binders
- C-Fillers or tips
- S-Scrap
- N-Nondescript

GROUPS OF TYPES 81, 82, and 83:

- A-Wrappers
- C-Fillers
- S-Scrap

STOCKS OF LEAF TOBACCO OWNED BY DEALERS AND MANUFACTURERS

Total Stocks Down Slightly From A Year Ago.

Stocks of all types,^{1/} of leaf tobacco totaled 3,672 million pounds (farm-sales-weight) on October 1, 1950.^{2/} This is slightly lower than on the same date last year when 3,690 million pounds were reported by dealers and manufacturers in the United States and Puerto Rico. Higher stocks of most types did not compensate for the lower holdings of flue-cured leaf.

During the third quarter, July-September 1950, approximately 800 million pounds entered stocks through purchases and deliveries compared with 810 million for the same quarter last year. The marketings consisted of around 780 million pounds of flue-cured tobacco with the remainder composed of Maryland and cigar-leaf.

For the southern types, holdings of flue-cured decreased around 4 percent from a year ago, as contrasted with increases of 2 percent in Burley stocks, 5 percent for fire-cured tobacco, and 8 percent for dark air-cured. For the cigar-leaf types, stocks of the filler types were 5 percent larger than a year earlier, binder types increased 10 percent, and shade-grown was up 5 percent. For the foreign-grown types, stocks of cigarette tobacco (Turkish and other) were larger than a year ago, whereas the stocks of Cuban (Havana) cigar leaf were down sharply.

^{1/} Figures quoted for type totals in this summary are the farm-sales-weight equivalent of reported stocks except foreign-grown leaf which is converted to an unstemmed equivalent basis only. Tables in the body of the report show stocks on a farm-sales-weight basis; stocks in detail on a reported weight basis, subdivided according to recognized groupings; and stocks owned by dealers and manufacturers, separately.

^{2/} The general instructions for filing the tobacco stocks reports, required of dealers and manufacturers by the United States Department of Agriculture, specify that the report shall be made as of the opening of business on the first day of each quarter.

CIGARETTE-LEAF STOCKS

Flue-cured Holdings Lower Compared With Previous October 1;
Burley, Maryland, and Turkish Higher

The auction sales for the 1950 flue-cured tobacco crop began in July, and producers marketed around 780 million pounds during the quarter - slightly less than was marketed before October 1 last year. Stocks of flue-cured leaf in the hands of dealers and manufacturers totaled 1,857 million pounds compared with stocks of 1,941 million on October 1 a year ago.

Burley tobacco holdings were up 22 million pounds compared with a year ago and established a new record high carry-over. Holdings this October 1 totaled, 996 million pounds compared with 974 million in stocks a year earlier. Disappearance of Burley tobacco, as indicated by production estimates and changes in stocks, also reached the highest level on record during the marketing year October 1949-September 1950, totaling 538 million pounds compared with 531 million during the previous year. Indicated domestic consumption was around 498 million pounds, a gain of 9.0 million pounds, while exports were approximately the same during the past two marketing years.

Maryland tobacco stocks of 59.8 million pounds increased 5.8 million above last October 1 for the largest carry-over on record. Marketing of the 1949 crop of approximately 41 million pounds was completed in August. During the marketing year, October 1949-September 1950, disappearance of Maryland tobacco was 35.2 million pounds as compared with 37.0 million during the previous marketing year. Indicated domestic consumption was around 28.0 million pounds, about the same as during the previous marketing year, while exports were less.

Stocks of Foreign-grown cigarette and smoking tobacco (Turkish and other) as of October 1, 1950 were reported as 141.7 million pounds or 7.5 million above the inventory a year earlier.

DARK TOBACCO STOCKS

Fire-cured and Dark Air-cured Stocks Show Increase.

Fire-cured tobacco stocks were up 7.5 million pounds from the previous October 1, amounting to 164.7 million pounds on October 1, 1950. Holdings of each type of fire-cured leaf were larger than a year ago. Stocks according to types were 22.9 million pounds of Virginia fire-cured, 95.6 million of Eastern District fire-cured, 45.8 million of Western District Kentucky and Tennessee fire-cured, and 0.3 million of Henderson stemming fire-cured. Disappearance of fire-cured tobacco during the past marketing year ending September 1950, was 64.6 million pounds compared with 78.6 million during the previous marketing year. All the decrease resulted from a smaller volume of exports which totaled about 29.0 million pounds during the past marketing year compared with 43.2 million the previous year. Domestic consumption was indicated to be about 35 million pounds both years.

Dark air-cured holdings on October 1 amounted to 79.8 million pounds, an increase of 5.7 million over a year ago, and were at the highest level in recent years. Larger stocks of Types 35 and 36 accounted for the increase as stocks of Type 37 were reduced slightly from a year ago. Stocks of dark air-cured as of October 1, 1950 consisted of 42.0 million pounds of One Sucker tobacco, 34.8 million of Green River and 3.0 million of Virginia sun-cured. As indicated by production estimates and changes in stocks, disappearance of dark air-cured tobacco

DARK TOBACCO STOCKS - Cont'd.

during the past marketing year, October 1949-September 1950, amounted to 30.2 million pounds compared with 37.9 million during the previous 12 months. The decrease was caused by much lower exports which were around 6.0 million pounds during the past year compared with 14.8 million during the previous year. The indicated domestic consumption of 24 million pounds was slightly greater than during the preceding marketing year.

CIGAR-LEAF STOCKS

Domestic Grown Cigar Leaf Stocks Larger;
Foreign-grown Stocks Lower Than On Hand A Year Ago

Stocks of all types of cigar-leaf totaled 353.0 million pounds (farm-sales-weight) as of October 1, 1950 compared with 330.3 million a year earlier. Puerto Rican tobacco was the only major domestic type with a lower level of stocks compared with October 1, 1949. Foreign-grown cigar-leaf holdings of 17.5 million pounds (unstemmed equivalent) were down 2.7 million from a year ago.

Cigar-filler stocks including Puerto Rican were 194.9 million pounds compared with 185.0 million a year ago. Holdings of Type 41 compared with the previous October 1 stocks were up 9.8 million pounds, Types 42-44 stocks increased 2.1 million, whereas Type 46 stocks declined 2.0 million. Pennsylvania Seedleaf tobacco stocks on October 1, 1950 were 115.8 million pounds, Ohio filler types were 28.0 million, and Puerto Rican stocks totaled 51.1 million. Of the Puerto Rican stocks, 27.1 million pounds were located in the Continental United States and 24.0 million in Puerto Rico. Based on production estimates and changes in stocks, indicated disappearance of Pennsylvania Seedleaf tobacco during the past year, October 1949-September 1950, was 48.1 million pounds compared with 53.7 million during the previous year; Ohio filler was 7.9 million pounds compared with 8.9 million; and Puerto Rican filler was 27.0 million pounds compared with 41.9 million. Much of the decrease in Puerto Rican disappearance was the result of smaller exports during the past marketing year.

Stocks of cigar binder types this October 1 were 135.1 million pounds which represents an increase of 11.8 million from a year earlier. Most of the increase was shown in holdings of Types 52 and 55, but stocks of Types 51 and 54 were also larger than a year ago. Binder type stocks as of October 1, 1950 were divided as follows: Connecticut Valley Broadleaf 27.7 million pounds, Connecticut Valley Havana Seed 24.9 million, New York and Pennsylvania Havana Seed 1.5 million, Southern Wisconsin 40.1 million, Northern Wisconsin 40.8 million, and Georgia and Florida binder 0.1 million pounds. Disappearance of binder tobacco during the past marketing year, amounted to 49.6 million pounds compared with 62.2 million during the previous year. Reduced exports during the past marketing year accounted for much of the decrease in disappearance.

Stocks of Shade-grown cigar-leaf were 23.0 million pounds as of October 1, 1950 compared with 21.9 million a year earlier. Holdings of Connecticut Valley Shade totaled 13.7 million pounds and Georgia-Florida Shade 9.3 million. Stocks of each type were slightly larger than a year ago.

Cuban (Havana) tobacco stocks totaled 16.4 million pounds, a decrease of 3.2 million from the previous October 1 level. Stocks of Sumatra and Java leaf were slightly larger than a year ago, totaling 0.9 million pounds. Philippine Islands (Manila) holdings were 0.2 million pounds and other foreign-grown cigar-leaf stocks less than 0.1 million.

Table 1.--Average percentages of weight remaining after handling, sweating, drying, and stemming for all types of tobacco, and factors used for adjusting stocks reported by dealers and manufacturers to a farm-sales weight equivalent 1/

SOUTHERN TYPES (41-57)

| Type | No. | Yield realized from farm-sales weight to: | | | | Stemming | | | | Factors used to multiply by | | | |
|------------------------|-------|---|---------|---------------------|----------------------|------------------------|--------|---|---------|-----------------------------|----------------------------|----------------------------|----------------------------|
| | | Packed in domestic order | | To the end of: | | Packed weight | | Yield from actual weight at time of operation | | Stemmed : Unstemmed stocks | | Stemmed : Unstemmed stocks | |
| | | Percent | Percent | One year in storage | Two years in storage | Three years in storage | Export | Percent | Percent | Stemmed : Unstemmed stocks | Stemmed : Unstemmed stocks | Stemmed : Unstemmed stocks | Stemmed : Unstemmed stocks |
| Flue-cured | 11-14 | 90.0 | 89.1 | 88.7 | 88.7 | 88.0 | 88.0 | 78.0 | 69.0 | 1.282 | 1.12 | 1.282 | 1.12 |
| Virginia fire-cured | 21 | 85.0 | 84.2 | 83.4 | 83.0 | 83.0 | 83.0 | 77.0 | 64.0 | 1.299 | 1.18 | 1.299 | 1.18 |
| Tenn. & Ky. fire-cured | 22-23 | 98.5 | 94.6 | 92.7 | 91.8 | 95.0 | 95.0 | 76.0 | 69.5 | 1.316 | 1.04 | 1.316 | 1.04 |
| Henderson Stemming | 24 | 90.0 | 87.3 | 86.0 | 85.1 | 86.0 | 86.0 | 76.0 | 64.5 | 1.316 | 1.125 | 1.316 | 1.125 |
| Burley | 31 | 90.0 | 88.2 | 87.3 | 86.4 | 89.0 | 89.0 | 74.0 | 64.0 | 1.351 | 1.12 | 1.351 | 1.12 |
| Southern Maryland | 32 | 100.0 | 96.0 | 94.1 | 93.2 | 100.0 | 100.0 | 74.0 | 69.0 | 1.351 | 1.02 | 1.351 | 1.02 |
| One Sucker | 35 | 92.0 | 90.2 | 88.8 | 87.9 | 90.0 | 90.0 | 70.0 | 61.5 | 1.429 | 1.09 | 1.429 | 1.09 |
| Green River | 36 | 90.0 | 87.3 | 86.0 | 85.1 | 86.0 | 86.0 | 76.0 | 64.5 | 1.316 | 1.13 | 1.316 | 1.13 |
| Virginia sun-cured | 37 | 89.0 | 88.1 | 87.2 | 86.8 | 85.0 | 85.0 | 76.0 | 66.0 | 1.316 | 1.13 | 1.316 | 1.13 |

CIGAR LEAF TYPES (41-62)

| Type | No. | Yield realized from farm-sales weight to: | | | | Stemming | | | | Factors used to multiply by | | | |
|-------------------------|-----|---|---------|---------------------|----------------------|------------------------|--------|---|---------|-----------------------------|----------------------------|----------------------------|----------------------------|
| | | Packed weight | | To the end of: | | Packed weight | | Yield from actual weight at time of operation | | Stemmed : Unstemmed stocks | | Stemmed : Unstemmed stocks | |
| | | Percent | Percent | One year in storage | Two years in storage | Three years in storage | Export | Percent | Percent | Stemmed : Unstemmed stocks | Stemmed : Unstemmed stocks | Stemmed : Unstemmed stocks | Stemmed : Unstemmed stocks |
| Pennsylvania Seedleaf | 41 | 97.3 | 86.0 | 84.0 | 82.0 | 80.6 | 80.6 | 72.0 | 58.0 | 1.387 | (4) | 1.387 | (4) |
| Oebhardt | 42 | (3) | 85.6 | 83.3 | 80.9 | 79.3 | 79.3 | 73.0 | 58.0 | (1.387) | (4) | (1.387) | (4) |
| Zimmer | 43 | (3) | 85.4 | 83.0 | 80.8 | 78.9 | 78.9 | 71.5 | 56.5 | (1.387) | (4) | (1.387) | (4) |
| Dutch | 44 | (3) | 86.5 | 84.1 | 81.7 | 80.0 | 80.0 | 70.5 | 56.5 | (1.387) | (4) | (1.387) | (4) |
| Puerto Rico | 46 | 88.0 | 87.1 | 85.6 | 82.0 | -- | -- | 78.5 | 64.5 | 1.275 | 1.17 | 1.275 | 1.17 |
| Connecticut Broadleaf | 51 | 97.0 | 87.4 | 85.4 | 83.1 | 81.1 | 81.1 | 71.5 | 62.5 | 1.292 | (4) | 1.292 | (4) |
| Connecticut Havana Seed | 52 | 97.0 | 87.4 | 85.0 | 83.1 | 81.2 | 81.2 | 71.0 | 62.5 | 1.299 | (4) | 1.299 | (4) |
| N. Y. & Pa. Havana Seed | 53 | 91.0 | 84.6 | 82.9 | 80.9 | 79.7 | 79.7 | 73.5 | 58.5 | 1.364 | (4) | 1.364 | (4) |
| Southern Wisconsin | 54 | 96.3 | 83.1 | 81.5 | 79.1 | 77.9 | 77.9 | 77.0 | 59.5 | 1.300 | (4) | 1.300 | (4) |
| Northern Wisconsin | 55 | 93.7 | 83.8 | 82.4 | 80.6 | 79.2 | 79.2 | 75.0 | 59.0 | 1.333 | (4) | 1.333 | (4) |
| Ga. & Fla. binder | 56 | 82.5 | 80.8 | 78.8 | 77.2 | 75.7 | 75.7 | 78.5 | 59.0 | 1.275 | (4) | 1.275 | (4) |
| Connecticut Shade | 61 | 91.1 | 88.7 | 86.3 | 84.4 | 83.0 | 83.0 | 81.5 | 67.5 | 1.224 | (4) | 1.224 | (4) |
| Ga. & Fla. Shade | 62 | 89.1 | 87.3 | 84.5 | 82.3 | 80.6 | 80.6 | 83.0 | 67.0 | 1.205 | (4) | 1.205 | (4) |

MISCELLANEOUS DOMESTIC AND FOREIGN-GROWN TYPES (71-90)

| Type | No. | Yield realized from farm-sales weight to: | | | | Stemming | | | | Factors used to multiply by | | | |
|---|-------|---|---------|---------------------|----------------------|------------------------|--------|---|---------|-----------------------------|----------------------------|----------------------------|----------------------------|
| | | Packed weight | | To the end of: | | Packed weight | | Yield from actual weight at time of operation | | Stemmed : Unstemmed stocks | | Stemmed : Unstemmed stocks | |
| | | Percent | Percent | One year in storage | Two years in storage | Three years in storage | Export | Percent | Percent | Stemmed : Unstemmed stocks | Stemmed : Unstemmed stocks | Stemmed : Unstemmed stocks | Stemmed : Unstemmed stocks |
| Miscellaneous Domestic | 72-73 | -- | -- | -- | -- | -- | -- | -- | -- | 5 1.333 | 5 1.09 | 5 1.333 | 5 1.09 |
| Foreign-grown cigar leaf | 81-84 | -- | -- | -- | -- | -- | -- | -- | -- | 5 1.205 | (6) | 5 1.205 | (6) |
| Foreign-grown cigarette and smoking tobacco | 90 | -- | -- | -- | -- | -- | -- | -- | -- | 5 1.205 | (6) | 5 1.205 | (6) |

1 Information in this table taken from U. S. Department of Agriculture Circular 435, Tobacco Shrinkage and Losses in Weight in Handling and Storage, issued in July 1937. 2 Factors for converting unstemmed stocks to farm-sales weight are adjusted on the basis of an average loss on the reported weight and should not be taken as indicative of full shrinkage after handling, sweating and storage. 3 Ohio-Miami Valley filler types of tobacco packed in cases by growers before delivery. 4 See footnote 1 on page 5 for conversion factor to the farm-sales weight equivalent. 5 Tentative factor. 6 Factor has not been determined.

Table 2.-Stocks of leaf tobacco owned by dealers and manufacturers, by types, converted to a farm-sales-weight equivalent, October 1, 1950, compared with other quarters 1/

FARM-SALES WEIGHT

| Type name | U.S. type number | October 1, | | | July 1, | April 1, | January 1, |
|---|------------------------|------------|-----------|-----------|------------|-----------|------------|
| | | 1950 | 1949 | 1948 | 1950 | 1950 | 1950 |
| | | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. |
| Flue cured | 11-14 | 1,856,538 | 1,940,936 | 1,874,264 | 1,484,479* | 1,754,028 | 1,992,703 |
| Virginia fire-cured | 21 | 22,877 | 21,779 | 22,172 | 26,060 | 28,924 | 22,985 |
| Tennessee and Kentucky fire-cured (Eastern District) | 22 | 95,594 | 91,438 | 97,795 | 104,573 | 115,430 | 83,394 |
| Kentucky and Tennessee fire-cured (Western District) | 23 | 45,845 | 43,671 | 42,260 | 49,033 | 53,879 | 41,213 |
| Henderson Stemming | 24 | 345 | 296 | 343 | 345 | 362 | 312 |
| Total Fire-cured | 21-24 | 164,661 | 157,184 | 162,570 | 180,011 | 198,595 | 147,904 |
| Burley | 31 | 996,032 | 974,324 | 902,279 | 1,151,732* | 1,283,393 | 1,139,960 |
| Low-nicotine | 31-V | 768 | 436 | 198 | 777 | 788 | 429 |
| Southern Maryland | 32 | 59,782 | 53,996 | 55,988 | 52,944 | 38,092 | 45,547 |
| Total Light Air-cured | 31-32 | 1,056,582 | 1,028,756 | 958,465 | 1,205,453* | 1,322,273 | 1,185,936 |
| One Sucker | 35 | 42,027 | 38,821 | 41,581 | 46,931 | 50,380 | 37,912 |
| Green River | 36 | 34,750 | 32,123 | 32,363 | 36,831 | 39,240 | 33,556 |
| Virginia sun-cured | 37 | 3,041 | 3,184 | 3,242 | 3,826 | 4,494 | 3,328 |
| Total Dark Air-cured | 35-37 | 79,818 | 74,128 | 77,186 | 87,588 | 94,114 | 74,796 |
| Pennsylvania Seedleaf | 41 | 115,775 | 105,972 | 99,815 | 128,992* | 140,565 | 99,467 |
| Ohio Filler (Miami Valley) | 42-44 | 28,016 | 25,895 | 23,886 | 30,069 | 31,191 | 23,539 |
| Puerto Rican: | | | | | | | |
| In United States | 46 | 27,122 | 25,707 | 35,954 | 26,471* | 29,358 | 29,461 |
| In Puerto Rico | 46 | 24,004 | 27,458 | 32,069 | 32,080* | 23,053 | 14,892 |
| Total Cigar-Filler | 41-46 | 194,917 | 185,032 | 191,724 | 217,612* | 224,167 | 167,359 |
| Connecticut Valley Broadleaf | 51 | 27,745 | 26,546 | 30,347 | 30,743* | 32,415 | 26,601 |
| Connecticut Valley Havana Seed | 52 | 24,945 | 19,820 | 19,343 | 27,176* | 28,106 | 23,986 |
| New York and Pa. Havana Seed | 53 | 1,534 | 1,707 | 2,508 | 1,581 | 1,933 | 1,482 |
| Southern Wisconsin | 54 | 40,073 | 39,813 | 37,214 | 42,626* | 45,494 | 36,019 |
| Northern Wisconsin | 55 | 40,753 | 35,205 | 36,175 | 44,426* | 47,691 | 34,551 |
| Georgia and Florida Binder | 56 | 71 | 257 | 239 | 90 | 125 | 180 |
| Total Cigar-Binder | 51-56 | 135,121 | 123,348 | 125,826 | 146,642* | 155,764 | 122,819 |
| Connecticut shade | 61 | 13,691 | 13,330 | 12,186 | 13,571 | 15,607 | 17,874 |
| Georgia and Florida shade | 62 | 9,275 | 8,586 | 7,830 | 5,872* | 6,862 | 8,211 |
| Total Cigar-Wrapper | 61-62 | 22,966 | 21,916 | 20,016 | 19,443* | 22,469 | 26,085 |
| Perique | 72 | 756 | 783 | 892 | 825 | 916 | 786 |
| Other Miscellaneous Domestic 2/ | 73 | 1,470 | 3,715 | 910 | 1,254* | 1,272 | 1,439 |
| Total Miscellaneous Domestic | 72-73 | 2,226 | 4,498 | 1,802 | 2,079* | 2,188 | 2,225 |
| Cuba (Havana) 3/ | 81 | 16,372 | 19,583 | 24,164 | 16,612* | 18,399 | 18,853 |
| Sumatra and Java 3/ 4/ | 82 | 927 | 451 | 467 | 762 | 265 | 350 |
| Philippine Islands (Manila) 3/ | 83 | 184 | 172 | 315 | 192 | 179 | 34 |
| Other foreign-grown cigar leaf 3/ | 84 | 42 | 68 | 105 | 48* | 38 | 43 |
| Total Foreign-grown Cigar-leaf 3/ | 81-84 | 17,525 | 20,272 | 25,051 | 17,614* | 18,881 | 19,280 |
| Foreign-grown cigarette & smoking tobacco (Turkish & other) 3/ | 90 | 141,701 | 134,232 | 112,422 | 148,070 | 151,802 | 141,127 |
| Total all types | 11-90 | 3,672,055 | 3,690,302 | 3,549,326 | 3,508,991* | 3,944,281 | 3,880,234 |

1/ For factor used in converting weights see table 1 except for cigar leaf. The instructions for reporting unstemmed cigar-leaf of the domestic types require dealers and manufacturers to indicate the weight basis on which the tobacco is reported, namely farm-sales-weight, marked weight, or sweated weight. The stocks are converted to the farm-sales-weight equivalent on the basis of the amount reported in these three categories. The conversion factors by types of tobacco for October 1, 1950 are as follows: Type 41, 108; Types 42-44, 113; Type 51, 107; Type 52, 107; Type 53, 112; Types 54, 106; Type 55, 106; Type 56, 123; Type 61, 110; Type 62, 107. October 1, 1950 figures subject to revision.

2/ For explanation of stocks included in this classification, see footnote 6 on page 18.

3/ Foreign-grown leaf is converted to an unstemmed equivalent basis only.

4/ Does not include Sumatra and Java leaf stored in the Free Trade Zone.

* Revisions in July 1 report.

Table 3.-Production, stocks, supply, disappearance on a farm-sales weight-basis, and price of specified types, 1945-50 1/

FLUE-CURED, TYPES 11-14

| Marketing year beginning July 1 | Production | Carry-over (stocks July 1) | Total supply | Disappearance (supply less carry-over following year) | Average price to growers |
|---------------------------------------|---------------------|----------------------------------|---------------------|--|--------------------------------|
| | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | Cents |
| 1945 | 1,173,459 | 1,126,283 | 2,299,742 | 1,152,384 | 43.6 |
| 1946 | 1,352,024 | 1,147,358 | 2,499,382 | 1,212,542 | 48.3 |
| 1947 | 1,317,466 | 1,286,840 | 2,604,306 | 1,054,093 | 41.2 |
| 1948 | 1,089,584 | 1,550,213 | 2,639,797 | 1,101,586 | 49.6 |
| 1949 | 1,114,508 | 1,538,211 | 2,652,719 | 1,168,240 | 47.2 |
| 1950 | <u>3/</u> 1,195,925 | 1,484,479 | <u>2/</u> 2,680,404 | | |

CONNECTICUT SHADE, TYPE 61

| | | | | | |
|------|-----------------|--------|------------------|-------|-------|
| 1945 | 7,572 | 10,150 | 17,722 | 7,600 | 220.0 |
| 1946 | 8,824 | 10,122 | 18,946 | 8,818 | 240.0 |
| 1947 | 9,262 | 10,128 | 19,390 | 8,682 | 310.0 |
| 1948 | 9,798 | 10,708 | 20,506 | 8,413 | 290.0 |
| 1949 | 11,136 | 12,093 | 23,229 | 9,658 | 250.0 |
| 1950 | <u>3/</u> 8,114 | 13,571 | <u>2/</u> 21,685 | | |

GEORGIA AND FLORIDA SHADE, TYPE 62

| | | | | | |
|------|-----------------|-------|------------------|-------|-------|
| 1945 | 3,642 | 4,538 | 8,180 | 4,679 | 185.0 |
| 1946 | 3,677 | 3,501 | 7,178 | 3,933 | 220.0 |
| 1947 | 4,228 | 3,245 | 7,473 | 3,650 | 265.0 |
| 1948 | 5,265 | 3,823 | 9,088 | 4,587 | 245.0 |
| 1949 | 5,968 | 4,501 | 10,469 | 4,597 | 210.0 |
| 1950 | <u>3/</u> 5,945 | 5,872 | <u>2/</u> 11,817 | | |

Table 3.-Production, stocks, supply, disappearance on a farm-sales-weight basis, and price of specified types, 1945-50 1/ - Cont'd

VIRGINIA FIRE-CURED, TYPE 21

| Marketing year beginning October 1 | Production : 1,000 lb. | Carry-over : (stocks : October 1) | Total : supply | Disappearance : (supply less : carry-over : following year) | Average : price to : growers : Cents |
|--|---------------------------|---|-------------------|--|---|
| 1945 | 11,760 | 24,031 | 35,791 | 16,571 | 31.5 |
| 1946 | 17,160 | 19,220 | 36,380 | 13,651 | 28.8 |
| 1947 | 13,942 | 22,729 | 36,671 | 14,499 | 29.0 |
| 1948 | 12,595 | 22,172 | 34,767 | 12,988 | 32.8 |
| 1949 | 12,252 | 21,779 | 34,031 | 2/ 11,154 | 33.3 |
| 1950 | 3/ 12,000 | 2/ 22,877 | 2/ 34,877 | | |

TENNESSEE AND KENTUCKY FIRE-CURED, TYPE 22

| | | | | | |
|------|-----------|-----------|------------|-----------|------|
| 1945 | 33,800 | 81,982 | 115,782 | 48,841 | 32.4 |
| 1946 | 63,150 | 66,941 | 130,091 | 43,774 | 26.9 |
| 1947 | 51,108 | 86,317 | 137,425 | 39,630 | 30.3 |
| 1948 | 41,210 | 97,795 | 139,005 | 47,567 | 32.8 |
| 1949 | 42,725 | 91,438 | 134,163 | 2/ 38,569 | 30.6 |
| 1950 | 3/ 32,190 | 2/ 95,594 | 2/ 127,784 | | |

KENTUCKY AND TENNESSEE FIRE-CURED, TYPE 23

| | | | | | |
|------|-----------|-----------|-----------|-----------|------|
| 1945 | 12,636 | 25,717 | 38,353 | 19,531 | 29.4 |
| 1946 | 28,400 | 18,822 | 47,222 | 13,030 | 22.2 |
| 1947 | 20,600 | 34,192 | 54,792 | 12,532 | 27.8 |
| 1948 | 19,226 | 42,260 | 61,486 | 17,815 | 29.7 |
| 1949 | 16,996 | 43,671 | 60,667 | 2/ 14,822 | 25.1 |
| 1950 | 3/ 11,665 | 2/ 45,845 | 2/ 57,510 | | |

BURLEY, TYPE 31

| | | | | | |
|------|------------|------------|--------------|------------|------|
| 1945 | 577,156 | 759,033 | 1,336,189 | 482,904 | 39.4 |
| 1946 | 614,004 | 853,285 | 1,467,289 | 526,470 | 39.7 |
| 1947 | 484,704 | 940,819 | 1,425,523 | 523,244 | 48.5 |
| 1948 | 602,902 | 902,279 | 1,505,181 | 530,857 | 46.0 |
| 1949 | 560,129 | 974,324 | 1,534,453 | 2/ 538,421 | 45.2 |
| 1950 | 3/ 483,952 | 2/ 996,032 | 2/ 1,479,984 | | |

Continued -

Table 3.-Production, stocks, supply, disappearance on a farm-sales-weight basis, and price of specified types, 1945-50 1/ - Cont'd

MARYLAND, TYPE 32

| Marketing year beginning October 1 | Production | Carry-over (stocks October 1) | Total supply | Disappearance (supply less carry-over following year) | Average price to growers |
|--|------------|-------------------------------------|-----------------|--|--------------------------------|
| | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | Cents. |
| 1945 | 18,375 | 52,227 | 70,602 | 30,310 | 57.0 |
| 1946 | 46,250 | 40,292 | 86,542 | 34,003 | 44.5 |
| 1947 | 37,762 | 52,539 | 90,301 | 34,313 | 42.8 |
| 1948 | 34,950 | 55,988 | 90,938 | 36,942 | 54.4 |
| 1949 | 41,000 | 53,996 | 94,996 | 2/ 35,214 | 2/ 48.3 |
| 1950 | 3/ 37,975 | 2/ 59,782 | 2/ 97,757 | | |

ONE SUCKER, TYPE 35

| | | | | | |
|------|-----------|-----------|-----------|-----------|------|
| 1945 | 26,720 | 30,680 | 57,400 | 24,558 | 24.7 |
| 1946 | 28,545 | 32,842 | 61,387 | 21,255 | 22.3 |
| 1947 | 20,885 | 40,132 | 61,017 | 19,436 | 25.7 |
| 1948 | 19,525 | 41,581 | 61,106 | 22,285 | 29.6 |
| 1949 | 20,901 | 38,821 | 59,722 | 2/ 17,695 | 27.9 |
| 1950 | 3/ 16,460 | 2/ 42,027 | 2/ 58,487 | | |

GREEN RIVER, TYPE 36

| | | | | | |
|------|----------|-----------|-----------|----------|------|
| 1945 | 14,600 | 26,374 | 40,974 | 16,190 | 24.8 |
| 1946 | 17,080 | 24,784 | 41,864 | 13,229 | 22.6 |
| 1947 | 13,905 | 28,635 | 42,540 | 10,177 | 25.4 |
| 1948 | 12,412 | 32,363 | 44,775 | 12,652 | 26.5 |
| 1949 | 11,220 | 32,123 | 43,343 | 2/ 8,593 | 27.8 |
| 1950 | 3/ 9,262 | 2/ 34,750 | 2/ 44,012 | | |

VIRGINIA SUN-CURED, TYPE 37

| | | | | | |
|------|----------|----------|----------|----------|------|
| 1945 | 2,240 | 3,375 | 5,615 | 2,796 | 33.8 |
| 1946 | 3,933 | 2,819 | 6,752 | 2,847 | 24.2 |
| 1947 | 2,405 | 3,905 | 6,310 | 3,068 | 28.6 |
| 1948 | 2,835 | 3,242 | 6,077 | 2,893 | 32.0 |
| 1949 | 3,820 | 3,184 | 7,004 | 2/ 3,963 | 31.4 |
| 1950 | 3/ 3,608 | 2/ 3,041 | 2/ 6,649 | | |

PENNSYLVANIA SEEDLEAF, TYPE 41

| | | | | | |
|------|-----------|------------|------------|-----------|------|
| 1945 | 45,760 | 108,733 | 154,493 | 53,270 | 34.0 |
| 1946 | 58,188 | 101,223 | 159,411 | 60,940 | 32.5 |
| 1947 | 55,100 | 98,471 | 153,571 | 53,756 | 30.5 |
| 1948 | 59,904 | 99,815 | 159,719 | 53,747 | 26.3 |
| 1949 | 57,904 | 105,972 | 163,876 | 2/ 48,101 | 26.4 |
| 1950 | 3/ 58,650 | 2/ 115,775 | 2/ 174,425 | | |

Table 3.-Production, stocks, supply, disappearance on a farm-sales-weight basis, and price of specified types, 1945-50 1/ - Cont'd.

MIAMI VALLEY (OHIO) FILLER, TYPES 42-44

| Marketing year | Production | Carry-over (stocks October 1) | Total supply | Disappearance (supply less carry-over following year) | Average price to growers |
|----------------|------------|-------------------------------------|-----------------|--|--------------------------------|
| | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | Cents |
| 1945 | 4,180 | 34,165 | 38,345 | 10,816 | 34.0 |
| 1946 | 6,188 | 27,529 | 33,717 | 10,001 | 36.0 |
| 1947 | 8,060 | 23,716 | 31,776 | 7,890 | 31.0 |
| 1948 | 10,880 | 23,886 | 34,766 | 8,871 | 23.0 |
| 1949 | 10,050 | 25,895 | 35,945 | 2/ 7,929 | 25.0 |
| 1950 | 3/ 9,750 | 2/ 28,016 | 2/ 37,766 | | |

PUERTO RICAN FILLER, TYPE 46

| | | | | | |
|------|-----------|-----------|---------|-----------|------|
| 1945 | 32,000 | 75,343 | 107,343 | 29,045 | 36.0 |
| 1946 | 23,018 | 78,298 | 101,316 | 27,310 | 25.0 |
| 1947 | 26,100 | 74,006 | 100,106 | 32,083 | 27.5 |
| 1948 | 27,000 | 68,023 | 95,023 | 41,858 | 27.0 |
| 1949 | 2/ 25,000 | 53,165 | 78,165 | 2/ 27,039 | 20.0 |
| 1950 | | 2/ 51,126 | | | |

CONNECTICUT BROADLEAF, TYPE 51

| | | | | | |
|------|-----------|-----------|-----------|-----------|------|
| 1945 | 13,270 | 23,511 | 36,781 | 12,521 | 60.0 |
| 1946 | 15,978 | 24,260 | 40,238 | 11,647 | 74.0 |
| 1947 | 15,015 | 28,591 | 43,606 | 13,259 | 51.0 |
| 1948 | 14,049 | 30,347 | 44,396 | 17,850 | 60.0 |
| 1949 | 13,911 | 26,546 | 40,457 | 2/ 12,712 | 53.0 |
| 1950 | 3/ 16,732 | 2/ 27,745 | 2/ 44,477 | | |

CONNECTICUT HAVANA SEED, TYPE 52

| | | | | | |
|------|-----------|-----------|-----------|----------|------|
| 1945 | 10,160 | 18,796 | 28,956 | 12,959 | 56.3 |
| 1946 | 12,999 | 15,997 | 28,996 | 12,503 | 69.0 |
| 1947 | 14,920 | 16,493 | 31,413 | 12,070 | 67.0 |
| 1948 | 14,458 | 19,343 | 33,801 | 13,981 | 62.3 |
| 1949 | 14,675 | 19,820 | 34,495 | 2/ 9,550 | 41.8 |
| 1950 | 3/ 15,448 | 2/ 24,945 | 2/ 40,393 | | |

Continued -

Table 3.-Production, stocks, supply, disappearance on a farm-sales-weight basis, and price of specified types, 1945-50 1/ - Cont'd.

NEW YORK AND PENNSYLVANIA HAVANA SEED, TYPE 53

| Marketing year | : | Production | : | Carry-over: | : | Disappearance | : | Average |
|----------------|---|------------|---|-------------|---|------------------|---|-----------|
| beginning | : | | : | (stocks | : | (supply less | : | price to |
| October 1 | : | | : | October 1): | : | carry-over | : | growers |
| | : | | : | | : | following year): | : | |
| | : | 1,000 lb. | : | 1,000 lb. | : | 1,000 lb. | : | 1,000 lb. |
| | : | | : | | : | | : | Cents |
| 1945 | : | 1,525 | : | 3,239 | : | 4,764 | : | 2,722 |
| 1946 | : | 2,016 | : | 2,042 | : | 4,058 | : | 1,317 |
| 1947 | : | 1,980 | : | 2,741 | : | 4,721 | : | 2,213 |
| 1948 | : | 1,445 | : | 2,508 | : | 3,953 | : | 2,246 |
| 1949 | : | 1,455 | : | 1,707 | : | 3,162 | : | 2/ 1,628 |
| 1950 | : | 3/ 1,500 | : | 2/ 1,534 | : | 2/ 3,034 | : | |

SOUTHERN WISCONSIN, TYPE 54

| | | | | | | | | | | |
|------|---|-----------|---|-----------|---|-----------|---|-----------|---|------|
| 1945 | : | 18,634 | : | 27,499 | : | 46,133 | : | 13,463 | : | 37.7 |
| 1946 | : | 20,735 | : | 32,670 | : | 53,405 | : | 15,470 | : | 34.7 |
| 1947 | : | 16,500 | : | 37,935 | : | 54,435 | : | 17,221 | : | 22.3 |
| 1948 | : | 11,890 | : | 37,214 | : | 49,104 | : | 9,291 | : | 22.4 |
| 1949 | : | 12,750 | : | 39,813 | : | 52,563 | : | 2/ 12,490 | : | 23.0 |
| 1950 | : | 3/ 12,740 | : | 2/ 40,073 | : | 2/ 52,813 | : | | : | |

NORTHERN WISCONSIN, TYPE 55

| | | | | | | | | | | |
|------|---|-----------|---|-----------|---|-----------|---|-----------|---|------|
| 1945 | : | 18,300 | : | 28,953 | : | 47,253 | : | 18,847 | : | 45.4 |
| 1946 | : | 21,875 | : | 28,406 | : | 50,281 | : | 12,651 | : | 45.5 |
| 1947 | : | 21,630 | : | 37,630 | : | 59,260 | : | 23,085 | : | 34.9 |
| 1948 | : | 17,824 | : | 36,175 | : | 53,999 | : | 18,794 | : | 23.0 |
| 1949 | : | 18,676 | : | 35,205 | : | 53,881 | : | 2/ 13,128 | : | 28.5 |
| 1950 | : | 3/ 17,973 | : | 2/ 40,753 | : | 2/ 58,726 | : | | : | |

1/ Annual disappearance for a type is calculated for the marketing year established for that type, the year beginning on the quarterly reporting date on which stocks of the type are at their lowest point and before the new crop enters stocks.

2/ Subject to revision.

3/ October 1 estimate, U. S. Crop Reporting Board.

Table 4.-Stocks of leaf tobacco, by types and groups of grades, owned by dealers and manufacturers, October 1, 1950, compared with July 1, 1950
(REPORTED WEIGHT)

Type 11, Old and Middle Belt flue-cured

| Group | October 1, 1950 1/ | | | July 1, 1950 | | |
|-------|--------------------|-----------|-----------|--------------|-----------|-----------|
| | Unstemmed : | Stemmed : | Total : | Unstemmed : | Stemmed : | Total |
| | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. |
| A | 2,268 | 27 | 2,295 | 2,768 | 15 | 2,783 |
| B | 82,053 | 15,591 | 97,644 | 84,844 | 15,403 | 100,247 |
| C | 93,357 | 36,156 | 129,513 | 85,902 | 32,663 | 118,565 |
| X | 140,143 | 94,633 | 234,776 | 143,100 | 91,824 | 234,924 |
| S | 4,766 | 7,088 | 11,854 | 4,929 | 7,001 | 11,930 |
| N | 2,211 | 1,393 | 3,604 | 4,491 | 1,525* | 6,016* |
| Total | 324,798 | 154,888 | 479,686 | 326,034 | 148,431* | 474,465* |

Type 12, Eastern North Carolina flue-cured

| | | | | | | |
|-------|---------|---------|---------|---------|---------|---------|
| A | 942 | - | 942 | 1,016 | - | 1,016 |
| B | 53,628 | 27,950 | 81,578 | 34,504 | 18,840 | 53,344 |
| C | 60,757 | 45,330 | 106,087 | 49,438 | 32,230 | 81,668 |
| X | 154,938 | 108,180 | 263,118 | 122,148 | 78,409 | 200,557 |
| S | 2,737 | 3,475 | 6,212 | 2,669 | 4,103 | 6,772 |
| N | 2,905 | 981 | 3,886 | 3,980 | 1,183 | 5,163 |
| Total | 275,907 | 185,916 | 461,823 | 213,755 | 134,765 | 348,520 |

Type 13, South Carolina flue-cured (including southeastern North Carolina)

| | | | | | | |
|-------|---------|---------|---------|---------|--------|---------|
| A | 1,307 | - | 1,307 | 959 | - | 959 |
| B | 40,560 | 13,253 | 53,813 | 20,495 | 7,056 | 27,551 |
| C | 59,938 | 39,726 | 99,664 | 44,700 | 23,021 | 67,721 |
| X | 126,200 | 73,554 | 199,754 | 90,712 | 49,712 | 140,424 |
| S | 1,094 | 1,652 | 2,746 | 1,163 | 1,432 | 2,595 |
| N | 1,961 | 290 | 2,251 | 2,316 | 305 | 2,621 |
| Total | 231,060 | 128,475 | 359,535 | 160,345 | 81,526 | 241,871 |

Type 14, Georgia and Florida flue-cured

| | | | | | | |
|-------|--------|---------|---------|--------|---------|---------|
| B | 12,214 | 12,257 | 24,471 | 6,291 | 8,262 | 14,553 |
| C | 2,107 | 63,686 | 65,793 | 810 | 41,940 | 42,750 |
| X | 4,768 | 79,874 | 84,642 | 5,311 | 60,900 | 66,211 |
| S | 573 | 1,550 | 2,123 | 411 | 1,244 | 1,655 |
| N | 2,044 | 618 | 2,662 | 263 | 473 | 736 |
| Total | 21,706 | 157,985 | 179,691 | 13,086 | 112,819 | 125,905 |

Types 11-14, Total flue-cured

| | | | | | | |
|-------|---------|---------|-----------|---------|----------|------------|
| A | 4,517 | 27 | 4,544 | 4,743 | 15 | 4,758 |
| B | 188,455 | 69,051 | 257,506 | 146,134 | 49,561 | 195,695 |
| C | 216,159 | 184,898 | 401,057 | 180,850 | 129,854 | 310,704 |
| X | 426,049 | 356,241 | 782,290 | 361,271 | 280,845 | 642,116 |
| S | 9,170 | 13,765 | 22,935 | 9,172 | 13,780 | 22,952 |
| N | 9,121 | 3,282 | 12,403 | 11,050 | 3,486* | 14,536* |
| Total | 853,471 | 627,264 | 1,480,735 | 713,220 | 477,541* | 1,190,761* |

See footnotes at end of table.

Continued -

Table 4.-Stocks of leaf tobacco, by types and groups of grades, owned by dealers and manufacturers, October 1, 1950, compared with July 1, 1950 - Cont'd.
(REPORTED WEIGHT)

Type 21, Virginia fire-cured

| Group | October 1, 1950 1/ | | | July 1, 1950 | | |
|-------|--------------------|-----------|-----------|--------------|-----------|-----------|
| | Unstemmed | Stemmed | Total | Unstemmed | Stemmed | Total |
| | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. |
| A | 437 | - | 437 | 394 | - | 394 |
| B | 9,918 | 15 | 9,933 | 10,564 | 15 | 10,579 |
| C | 2,842 | 5 | 2,847 | 3,835 | 4 | 3,839 |
| X | 5,932 | 90 | 6,022 | 6,891 | 163 | 7,054 |
| S | 105 | 4 | 109 | 146 | 3 | 149 |
| N | 5 | - | 5 | 15 | - | 15 |
| Total | 19,239 | 114 | 19,353 | 21,845 | 185 | 22,030 |

Type 22, Tennessee and Kentucky fire-cured (Eastern District)

| | | | | | | |
|-------|--------|-----|--------|--------|-----|---------|
| A | 4,293 | 64 | 4,357 | 4,504 | 101 | 4,605 |
| B | 52,890 | 289 | 53,179 | 57,626 | 304 | 57,930 |
| C | 6,736 | 59 | 6,795 | 7,984 | 59 | 8,043 |
| X | 26,333 | 1 | 26,334 | 28,680 | 1 | 28,681 |
| S | 613 | 4 | 617 | 636 | 4 | 640 |
| N | 503 | - | 503 | 504 | - | 504 |
| Total | 91,368 | 417 | 91,785 | 99,934 | 469 | 100,403 |

Type 23, Kentucky and Tennessee fire-cured (Western District)

| | | | | | | |
|-------|--------|----|--------|--------|----|--------|
| A | 222 | - | 222 | 223 | - | 223 |
| B | 21,908 | 12 | 21,920 | 23,147 | 19 | 23,166 |
| C | 5,911 | 20 | 5,931 | 7,074 | 29 | 7,103 |
| X | 14,362 | 16 | 14,378 | 14,792 | 17 | 14,809 |
| S | 442 | 1 | 443 | 509 | 1 | 510 |
| N | 1,173 | - | 1,173 | 1,315 | - | 1,315 |
| Total | 44,018 | 49 | 44,067 | 47,060 | 66 | 47,126 |

Type 24, Henderson Stemming

| | | | | | | |
|-------|-----|---|-----|-----|---|-----|
| A | 2 | - | 2 | 2 | - | 2 |
| B | 104 | - | 104 | 104 | - | 104 |
| C | 40 | - | 40 | 40 | - | 40 |
| X | 130 | - | 130 | 130 | - | 130 |
| N | 31 | - | 31 | 31 | - | 31 |
| Total | 307 | - | 307 | 307 | - | 307 |

Types 21-24, Total fire-cured

| | | | | | | |
|-------|---------|-----|---------|---------|-----|---------|
| A | 4,954 | 64 | 5,018 | 5,123 | 101 | 5,224 |
| B | 84,820 | 316 | 85,136 | 91,441 | 338 | 91,779 |
| C | 15,529 | 84 | 15,613 | 18,933 | 92 | 19,025 |
| X | 46,757 | 107 | 46,864 | 50,493 | 181 | 50,674 |
| S | 1,160 | 9 | 1,169 | 1,291 | 8 | 1,299 |
| N | 1,712 | - | 1,712 | 1,865 | - | 1,865 |
| Total | 154,932 | 580 | 155,512 | 169,146 | 720 | 169,866 |

See footnotes at end of table.

Continued -

Table 4.-Stocks of leaf tobacco, by types and groups of grades, owned by dealers and manufacturers, October 1, 1950, compared with July 1, 1950 - Cont'd.
(REPORTED WEIGHT)

Type 31, Burley 2/

| Group | October 1, 1950 1/ | | | July 1, 1950 | | |
|------------|--------------------|-----------|-----------|--------------|-----------|-----------|
| | Unstemmed | Stemmed | Total | Unstemmed | Stemmed | Total |
| | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. |
| A | 1,589 | - | 1,589 | 1,793 | - | 1,793 |
| B (Bright) | 82,493 | 34,266 | 116,759 | 93,583 | 36,724* | 130,307* |
| B (Red) | 50,378 | 11,153 | 61,531 | 73,560 | 13,518 | 87,078 |
| T (Bright) | 35,105 | 7,590 | 42,695 | 39,003 | 8,677 | 47,680 |
| T (Red) | 59,115 | 9,606 | 68,721 | 63,722 | 10,295 | 74,017 |
| C | 233,884 | 107,510 | 341,394 | 269,810 | 123,723 | 393,533 |
| X | 123,021 | 42,289 | 165,310 | 143,786 | 47,068 | 190,854 |
| S | 4,735 | 6,957 | 11,692 | 5,047 | 7,315 | 12,362 |
| N | 839 | 1,321 | 2,160 | 2,046 | 1,351 | 3,397 |
| Total | 591,159 | 220,692 | 811,851 | 692,350 | 248,671* | 941,021* |

Type 31-V, Low-Nicotine

| | | | | | | |
|-------|-----|-----|-----|-----|-----|-----|
| Total | 335 | 260 | 595 | 339 | 263 | 602 |
|-------|-----|-----|-----|-----|-----|-----|

Type 32, Southern Maryland

| | | | | | | |
|-------|--------|--------|--------|--------|--------|--------|
| B | 12,511 | 2 | 12,513 | 9,925 | 5 | 9,930 |
| C | 18,086 | 12,824 | 30,910 | 19,383 | 10,492 | 29,875 |
| X | 5,160 | 454 | 5,614 | 4,273 | 281 | 4,554 |
| S | 302 | 465 | 767 | 329 | 519 | 848 |
| N | 3,963 | 14 | 3,977 | 2,715 | 14 | 2,729 |
| Total | 40,022 | 13,759 | 53,781 | 36,625 | 11,311 | 47,936 |

Type 35, One Sucker

| | | | | | | |
|-------|--------|-------|--------|--------|-------|--------|
| A | 1,442 | - | 1,442 | 1,909 | - | 1,909 |
| B | 15,463 | 41 | 15,504 | 16,809 | 1 | 16,810 |
| C | 6,387 | 7 | 6,394 | 7,459 | - | 7,459 |
| X | 11,432 | 523 | 11,955 | 13,749 | 569 | 14,318 |
| S | 1,184 | 1 | 1,185 | 403 | 3 | 406 |
| N | 968 | 604 | 1,572 | 1,221 | 481 | 1,702 |
| Total | 36,876 | 1,176 | 38,052 | 41,550 | 1,054 | 42,604 |

Type 36, Green River

| | | | | | | |
|-------|--------|-------|--------|--------|-------|--------|
| A | 443 | 22 | 465 | 290 | 15 | 305 |
| B | 15,193 | 211 | 15,404 | 16,199 | 219 | 16,418 |
| C | 2,628 | 2 | 2,630 | 2,795 | 2 | 2,797 |
| X | 10,258 | 608 | 10,866 | 11,289 | 693 | 11,983 |
| S | 69 | 49 | 118 | 45 | 39 | 84 |
| N | 732 | 194 | 926 | 434 | 204 | 638 |
| Total | 29,323 | 1,086 | 30,409 | 31,052 | 1,172 | 32,224 |

Type 37, Virginia sun-cured

| | | | | | | |
|-------|-------|-----|-------|-------|-----|-------|
| A | 112 | - | 112 | 113 | - | 113 |
| B | 907 | 52 | 959 | 995 | 64 | 1,059 |
| C | 369 | - | 369 | 541 | - | 541 |
| X | 839 | 257 | 1,096 | 1,213 | 276 | 1,489 |
| S | 57 | - | 57 | 75 | 1 | 76 |
| Total | 2,284 | 309 | 2,593 | 2,937 | 341 | 3,278 |

See footnotes at end of table.

Continued -

Table 4.-Stocks of leaf tobacco, by types and groups of grades, owned by dealers and manufacturers, October 1, 1950, compared with July 1, 1950 - Cont'd.
(REPORTED WEIGHT)

Types 35-37, Total dark air-cured

| Group | October 1, 1950 1/ | | | July 1, 1950 | | |
|-------|--------------------------|------------------------|----------------------|--------------------------|------------------------|----------------------|
| | Unstemmed : 1,000 lb. | Stemmed : 1,000 lb. | Total : 1,000 lb. | Unstemmed : 1,000 lb. | Stemmed : 1,000 lb. | Total : 1,000 lb. |
| A | 1,997 | 22 | 2,019 | 2,312 | 15 | 2,327 |
| B | 31,563 | 304 | 31,867 | 34,003 | 284 | 34,287 |
| C | 9,384 | 9 | 9,393 | 10,795 | 2 | 10,797 |
| X | 22,529 | 1,388 | 23,917 | 26,251 | 1,538 | 27,789 |
| S | 1,310 | 50 | 1,360 | 523 | 43 | 566 |
| N | 1,700 | 798 | 2,498 | 1,655 | 685 | 2,340 |
| Total | 68,483 | 2,571 | 71,054 | 75,539 | 2,567 | 78,106 |

Type 41, Pennsylvania Seedleaf

| | | | | | | |
|-------|---------|-------|---------|----------|--------|----------|
| B | 5,115 | 26 | 5,141 | 6,414* | 21 | 6,435* |
| C | 81,592 | 2,335 | 83,927 | 92,453 | 2,488 | 94,941 |
| X | 10,742 | 746 | 11,488 | 10,495 | 826 | 11,321 |
| Y | 3,643 | 305 | 3,948 | 4,315 | 296 | 4,611 |
| S | 23 | 944 | 967 | 91 | 1,223* | 1,314* |
| N | 35 | 5 | 40 | 53 | - | 53 |
| Total | 101,150 | 4,361 | 105,511 | 113,821* | 4,854* | 118,675* |

Types 42-44, Ohio Filler (Miami Valley)

| | | | | | | |
|-------|--------|-------|--------|--------|-------|--------|
| C | 20,598 | 111 | 20,709 | 22,163 | 93 | 22,256 |
| X | 1,427 | 460 | 1,887 | 1,548 | 526 | 2,074 |
| Y | 906 | 684 | 1,590 | 692 | 676 | 1,368 |
| S | 1 | 85 | 86 | 2 | 124 | 126 |
| N | - | 2 | 2 | - | 2 | 2 |
| Total | 22,932 | 1,342 | 24,274 | 24,405 | 1,421 | 25,826 |

Type 46, Puerto Rican (In Continental United States)

| | | | | | | |
|-------|-------|--------|--------|-------|---------|---------|
| C | 66 | 13,158 | 13,224 | 32 | 13,928* | 13,960* |
| X | 3,328 | 495 | 3,823 | 2,511 | 561* | 3,072* |
| Y | 971 | 21 | 992 | 252 | 30 | 282 |
| S | 15 | 1,069 | 1,084 | 28 | 1,009* | 1,037* |
| N | - | 3 | 3 | - | 3 | 3 |
| Total | 4,380 | 14,746 | 19,126 | 2,823 | 15,531* | 18,354* |

Type 46, Puerto Rican (In Puerto Rico)

| | | | | | | |
|-------|--------|-------|--------|---------|--------|---------|
| C | 5,010 | 919 | 5,929 | 8,055* | 1,114* | 9,169* |
| X | 3,047 | 1,130 | 4,177 | 3,950* | 849* | 4,799* |
| Y | 7,330 | 671 | 8,001 | 10,147* | 471* | 10,618* |
| S | 145 | 303 | 448 | 512* | 207* | 719* |
| N | 1,127 | 2 | 1,129 | 1,385* | 2 | 1,387* |
| Total | 16,659 | 3,025 | 19,684 | 24,049* | 2,643* | 26,692* |

Type 46, Total Puerto Rican

| | | | | | | |
|-------|--------|--------|--------|---------|---------|---------|
| C | 5,076 | 14,077 | 19,153 | 8,087* | 15,041* | 23,128* |
| X | 6,375 | 1,625 | 8,000 | 6,461* | 1,409* | 7,870* |
| Y | 8,301 | 692 | 8,993 | 10,399* | 501* | 10,900* |
| S | 160 | 1,372 | 1,532 | 540* | 1,215* | 1,755* |
| N | 1,127 | 5 | 1,132 | 1,385* | 5 | 1,390* |
| Total | 21,039 | 17,771 | 38,810 | 26,872* | 18,171* | 45,043* |

See footnotes at end of table.

Continued -

Table 4.-Stocks of leaf tobacco, by types and groups of grades, owned by dealers and manufacturers, October 1, 1950, compared with July 1, 1950 - Cont'd.
(REPORTED WEIGHT)

Type 51, Connecticut Valley Broadleaf

| Group | October 1, 1950 | | | July 1, 1950 | | |
|-------|-----------------|-----------|-----------|--------------|-----------|-----------|
| | Unstemmed | Stemmed | Total | Unstemmed | Stemmed | Total |
| | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. |
| A | 1,289 | 1 | 1,290 | 1,400* | 1 | 1,401* |
| B | 21,098 | 107 | 21,205 | 23,056* | 94 | 23,150* |
| C | 401 | - | 401 | 304 | 4 | 308 |
| X | 2,162 | 131 | 2,293 | 2,840 | 192 | 3,032 |
| S | 6 | 289 | 295 | 23 | 304 | 327 |
| N | 292 | - | 292 | 340 | - | 340 |
| Total | 25,248 | 528 | 25,776 | 27,963* | 595 | 28,558* |

Type 52, Connecticut Valley Havana Seed

| | | | | | | |
|-------|--------|-----|--------|---------|-----|---------|
| A | 941 | 2 | 943 | 1,242 | 3 | 1,245 |
| B | 18,965 | 92 | 19,057 | 20,021* | 38 | 20,059* |
| C | 353 | - | 353 | 634 | - | 634 |
| X | 2,547 | 126 | 2,673 | 3,189 | 218 | 3,407 |
| S | 6 | 100 | 106 | 6* | 70 | 76* |
| N | 85 | - | 85 | 119 | - | 119 |
| Total | 22,897 | 320 | 23,217 | 25,211* | 329 | 25,540* |

Type 53, New York and Pennsylvania Havana Seed

| | | | | | | |
|-------|-------|----|-------|-------|----|-------|
| B | 527 | 3 | 530 | 562 | - | 562 |
| X | 823 | - | 823 | 852 | - | 852 |
| S | 1 | 11 | 12 | 1 | 4 | 5 |
| N | - | - | - | - | 12 | 12 |
| Total | 1,351 | 14 | 1,365 | 1,415 | 16 | 1,431 |

Type 54, Southern Wisconsin

| | | | | | | |
|-------|--------|-------|--------|---------|-------|---------|
| B | 7,937 | 4 | 7,941 | 8,173* | 31 | 8,204* |
| C | 121 | - | 121 | 185 | - | 185 |
| X | 25,262 | 3,418 | 28,680 | 26,996* | 3,695 | 30,691* |
| S | 1 | 26 | 27 | 1 | 9 | 10 |
| N | 2 | - | 2 | 2 | - | 2 |
| Total | 33,323 | 3,448 | 36,771 | 35,357* | 3,735 | 39,092* |

Type 55, Northern Wisconsin

| | | | | | | |
|-------|--------|-----|--------|---------|-------|---------|
| B | 15,971 | 279 | 16,250 | 17,476* | 110 | 17,586* |
| C | 1,458 | 59 | 1,517 | 38 | 241 | 279 |
| X | 19,689 | 410 | 20,099 | 23,049* | 490 | 23,539* |
| S | - | 244 | 244 | 6 | 166 | 172 |
| N | - | 4 | 4 | - | - | - |
| Total | 37,118 | 996 | 38,114 | 40,569* | 1,007 | 41,576* |

Type 56, Georgia and Florida binder

| | | | | | | |
|-------|----|---|----|----|---|----|
| B | 50 | 4 | 54 | 69 | 3 | 72 |
| S | - | 2 | 2 | - | - | - |
| Total | 50 | 6 | 56 | 69 | 3 | 72 |

See footnotes at end of table.

Continued -

Table 4.-Stocks of leaf tobacco, by types and groups of grades, owned by dealers and manufacturers, October 1, 1950, compared with July 1, 1950 - Cont'd.
(REPORTED WEIGHT)

Type 61, Connecticut Shade

| Group | October 1, 1950 1/ | | | July 1, 1950 | | |
|-------|--------------------|-----------|-----------|--------------|-----------|-----------|
| | Unstemmed : | Stemmed : | Total : | Unstemmed : | Stemmed : | Total |
| | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. |
| A | 11,830 | 11 | 11,841 | 11,595 | 6 | 11,601 |
| B | 358 | 6 | 364 | 361 | 6 | 367 |
| C | 68 | - | 68 | 70 | - | 70 |
| S | - | 137 | 137 | - | 151 | 151 |
| N | - | 1 | 1 | - | - | - |
| Total | 12,256 | 155 | 12,411 | 12,026 | 163 | 12,189 |

Type 62, Georgia and Florida Shade

| | | | | | | |
|-------|-------|-----|-------|--------|-----|--------|
| A | 8,436 | 8 | 8,444 | 5,025* | 10* | 5,035* |
| B | 99 | - | 99 | 57 | - | 57 |
| C | 8 | - | 8 | 8 | - | 8 |
| S | - | 94 | 94 | - | 39 | 39 |
| N | - | 2 | 2 | - | 2 | 2 |
| Total | 8,543 | 104 | 8,647 | 5,090* | 51* | 5,141* |

SUMMARY ALL CIGAR TOBACCO 3/

October 1, 1950

| Group | Filler | Binder | Wrapper | Foreign | Total |
|--------------|-----------|-----------|-----------|-----------|-----------|
| | Types | Types | Types | Types | |
| | 41-46 4/ | 51-56 | 61-62 | 81-84 5/ | |
| | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. |
| A | - | 2,233 | 20,285 | 1,468 | 23,986 |
| B | 5,141 | 65,037 | 463 | - | 70,641 |
| C | 123,789 | 2,392 | 76 | 9,930 | 136,187 |
| X | 21,375 | 54,568 | - | - | 75,943 |
| Y | 14,531 | - | - | - | 14,531 |
| S | 2,585 | 686 | 231 | 3,956 | 7,458 |
| N | 1,174 | 383 | 3 | - | 1,560 |
| Total | 168,595 | 125,299 | 21,058 | 15,354 | 330,306 |
| July 1, 1950 | | | | | |
| A | - | 2,646* | 16,636* | 1,380 | 20,662* |
| B | 6,435* | 69,633* | 424 | - | 76,492* |
| C | 140,326* | 1,406 | 78 | 9,764* | 151,574* |
| X | 21,266* | 61,521* | - | - | 82,787* |
| Y | 16,879* | - | - | - | 16,879* |
| S | 3,196* | 590* | 190 | 4,237* | 8,213* |
| N | 1,445* | 473 | 2 | - | 1,920* |
| Total | 189,547* | 136,269* | 17,330* | 15,381* | 358,527* |

See footnotes at end of table.

Continued -

Table 4.-Stocks of leaf tobacco, by types and groups of grades, owned by dealers and manufacturers, October 1, 1950, compared with July 1, 1950 - Cont'd.
(REPORTED WEIGHT)

Type 72, Perique

| Group | October 1, 1950 1/ | | | July 1, 1950 | | |
|-------|--------------------|-----------|-----------|--------------|-----------|-----------|
| | Unstemmed | Stemmed | Total | Unstemmed | Stemmed | Total |
| | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. |
| Total | - | 521 | 521 | - | 568 | 568 |

Type 73, Other miscellaneous domestic 6/

| | | | | | | |
|-------|-----|-----|-------|-----|------|------|
| Total | 375 | 731 | 1,106 | 310 | 630* | 940* |
|-------|-----|-----|-------|-----|------|------|

Types 72-73, Total miscellaneous domestic

| | | | | | | |
|-------|-----|-------|-------|-----|--------|--------|
| Total | 375 | 1,252 | 1,627 | 310 | 1,198* | 1,508* |
|-------|-----|-------|-------|-----|--------|--------|

Type 81, Cuba (Havana)

| | | | | | | |
|-------|-------|--------|--------|--------|---------|---------|
| A | 492 | 58 | 550 | 604 | 16 | 620 |
| C | 1,989 | 7,720 | 9,709 | 1,503* | 8,030 | 9,533* |
| S | 1,192 | 2,761 | 3,953 | 1,434 | 2,801* | 4,235* |
| Total | 3,673 | 10,539 | 14,212 | 3,541* | 10,847* | 14,388* |

Type 82, Sumatra and Java 7/

| | | | | | | |
|-------|-----|---|-----|-----|---|-----|
| A | 918 | - | 918 | 760 | - | 760 |
| C | 5 | - | 5 | - | - | - |
| S | - | 3 | 3 | - | 2 | 2 |
| Total | 923 | 3 | 926 | 760 | 2 | 762 |

Type 83, Philippine Islands (Manila)

| | | | | | | |
|---|-----|----|-----|-----|----|-----|
| C | 135 | 41 | 176 | 153 | 32 | 185 |
|---|-----|----|-----|-----|----|-----|

Type 84.-Other foreign-grown cigar-leaf

| | | | | | | |
|-------|----|----|----|-----|----|-----|
| Total | 30 | 10 | 40 | 35* | 11 | 46* |
|-------|----|----|----|-----|----|-----|

Type 90.-Foreign-grown cigarette and smoking tobacco (Turkish and other)

| | | | | | | |
|-------|---------|---|---------|---------|---|---------|
| Total | 141,701 | - | 141,701 | 148,070 | - | 148,070 |
|-------|---------|---|---------|---------|---|---------|

Types 11-90, Total all types

| | | | | | | |
|-------|-----------|---------|-----------|------------|----------|------------|
| Total | 2,141,146 | 906,016 | 3,047,162 | 2,152,886* | 783,511* | 2,936,397* |
|-------|-----------|---------|-----------|------------|----------|------------|

See footnotes at end of table.

Continued -

Table 4.--Stocks of leaf tobacco, by types and groups of grades, owned by dealers and manufacturers, October 1, 1950, compared with July 1, 1950 - Cont'd.
(REPORTED WEIGHT)

- 1/ Subject to revision.
- 2/ The group breakdown for Burley tobacco is in accordance with changes in the section for reporting Burley stocks made in the reporting form, beginning July 1, 1950.
- 3/ Most of the stocks in the X and Y groups will go into scrap chewing manufacture as well as part of that included in the scrap group.
- 4/ Includes Puerto Rican on the Island, Type 46.
- 5/ Type 84.--Other foreign-grown all shown in the C group.
- 6/ Although Type 73 is defined as all domestic types of tobacco not otherwise classified, the bulk of the stocks reported in this type consists of cuttings, clippings, and trimmings. This is the result, in most instances, of the inability of reporters to designate cuttings, clippings, and trimmings in the "S" group of the types to which they properly belong.
- 7/ Does not include Sumatra and Java leaf stored in the Free Trade Zone.
- * Revisions in July 1 report.

Table 5.-Stocks of leaf tobacco by types, showing separately quantities owned by dealers and manufacturers, October 1, 1950, compared with October 1, 1949 ^{1/}

REPORTED WEIGHT

| U.S. type number | Reported as owned by manufacturers 2/ | | | | Reported as owned by dealers 2/ | | | | Combined totals October 1, 1950 |
|------------------------|---------------------------------------|-----------|-----------------|-----------|---------------------------------|-----------|-----------------|-----------|---------------------------------------|
| | October 1, 1950 | | October 1, 1949 | | October 1, 1950 | | October 1, 1949 | | |
| | Unstemmed | Stemmed | Total | | Unstemmed | Stemmed | Total | | |
| | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. |
| 11 | 265,205 | 151,003 | 416,208 | 430,559 | 59,593 | 3,885 | 63,478 | 102,079 | 479,686 |
| 12 | 226,183 | 179,155 | 405,338 | 401,742 | 49,724 | 6,761 | 56,485 | 92,744 | 461,823 |
| 13 | 187,795 | 123,160 | 310,955 | 309,420 | 43,265 | 5,315 | 48,580 | 67,973 | 359,535 |
| 14 | 2,801 | 149,302 | 152,103 | 148,604 | 18,905 | 8,683 | 27,588 | 42,349 | 179,691 |
| 11-14 | 681,984 | 602,620 | 1,284,604 | 1,290,325 | 171,487 | 24,644 | 196,131 | 305,145 | 1,480,735 |
| 21 | 11,687 | 102 | 11,789 | 11,737 | 7,552 | 12 | 7,564 | 6,660 | 19,353 |
| 22 | 48,616 | 298 | 48,914 | 47,951 | 42,752 | 119 | 42,871 | 39,844 | 91,785 |
| 23 | 10,053 | 37 | 10,090 | 10,549 | 33,965 | 12 | 33,977 | 31,403 | 44,067 |
| 24 | - | - | - | - | 307 | - | 307 | 263 | 307 |
| 21-24 | 70,356 | 437 | 70,793 | 70,237 | 84,576 | 143 | 84,719 | 78,170 | 155,512 |
| 31 | 449,863 | 213,894 | 663,757 | 653,344 | 141,296 | 6,798 | 148,094 | 152,946 | 811,851 |
| 31-V | 335 | 260 | 595 | 299 | - | - | - | - | 595 |
| 32 | 21,747 | 13,739 | 35,486 | 33,724 | 18,275 | 20 | 18,295 | 13,738 | 53,781 |
| 31-32 | 471,945 | 227,893 | 699,838 | 687,367 | 159,571 | 6,818 | 166,389 | 166,684 | 866,227 |
| 35 | 18,460 | 632 | 19,092 | 16,217 | 18,416 | 544 | 18,960 | 19,205 | 38,052 |
| 36 | 16,956 | 1,032 | 17,988 | 16,309 | 12,367 | 54 | 12,421 | 11,902 | 30,409 |
| 37 | 2,055 | 308 | 2,363 | 2,462 | 229 | 1 | 230 | 265 | 2,593 |
| 35-37 | 37,471 | 1,972 | 39,443 | 34,988 | 31,012 | 599 | 31,611 | 31,372 | 71,054 |
| 41 | 91,083 | 4,077 | 95,160 | 79,527 | 10,067 | 284 | 10,351 | 16,470 | 105,511 |
| 42-44 | 20,379 | 1,311 | 21,690 | 20,693 | 2,553 | 31 | 2,584 | 1,688 | 24,274 |
| 46 3/ | 3,139 | 14,463 | 17,602 | 20,787 | 17,900 | 3,308 | 21,208 | 19,263 | 38,810 |
| 41-46 | 114,601 | 19,851 | 134,452 | 121,007 | 30,520 | 3,623 | 34,143 | 37,421 | 168,595 |
| 51 | 18,976 | 506 | 19,482 | 20,235 | 6,272 | 22 | 6,294 | 4,359 | 25,776 |
| 52 | 18,479 | 283 | 18,762 | 16,558 | 4,418 | 37 | 4,455 | 1,842 | 23,217 |
| 53 | 1,323 | 14 | 1,337 | 1,435 | 28 | - | 28 | 67 | 1,365 |
| 54 | 28,558 | 3,362 | 31,920 | 33,490 | 4,765 | 86 | 4,851 | 3,014 | 36,771 |
| 55 | 32,427 | 808 | 33,235 | 28,464 | 4,691 | 188 | 4,879 | 4,398 | 38,114 |
| 56 | 50 | 6 | 56 | 171 | - | - | - | 32 | 56 |
| 51-56 | 99,813 | 4,979 | 104,792 | 100,353 | 20,174 | 333 | 20,507 | 13,712 | 125,299 |
| 61 | 9,202 | 155 | 9,357 | 8,828 | 3,054 | - | 3,054 | 3,256 | 12,411 |
| 62 | 4,326 | 54 | 4,380 | 3,216 | 4,217 | 50 | 4,267 | 4,796 | 8,647 |
| 61-62 | 13,528 | 209 | 13,737 | 12,044 | 7,271 | 50 | 7,321 | 8,052 | 21,058 |
| 72 | - | 309 | 309 | 301 | - | 212 | 212 | 238 | 521 |
| 73 4/ | 189 | 723 | 912 | 3,063 | 186 | 8 | 194 | 212 | 1,106 |
| 72-73 | 189 | 1,032 | 1,221 | 3,364 | 186 | 220 | 406 | 450 | 1,627 |
| 81 | 3,500 | 10,161 | 13,661 | 16,193 | 173 | 378 | 551 | 849 | 14,212 |
| 82 5/ | 783 | 3 | 786 | 376 | 140 | - | 140 | 75 | 926 |
| 83 | 135 | 21 | 156 | 148 | - | 20 | 20 | 11 | 176 |
| 84 | 12 | 1 | 13 | 20 | 18 | 9 | 27 | 46 | 40 |
| 81-84 | 4,430 | 10,186 | 14,616 | 16,737 | 331 | 407 | 738 | 981 | 15,354 |
| 90 | 134,483 | - | 134,483 | 130,005 | 7,218 | - | 7,218 | 4,227 | 141,701 |
| 11-90 | 1,628,800 | 869,179 | 2,497,979 | 2,466,427 | 512,346 | 36,837 | 549,183 | 646,214 | 3,047,162 |

^{1/} These statistics represent the quantity of leaf tobacco reported as owned by all leaf tobacco dealers, manufacturers, quasi-manufacturers, growers' cooperative associations, warehousemen, brokers, holders, and owners subject to provisions of the Tobacco Stocks and Standards Act approved January 14, 1929, and the amendments thereto passed in the 72nd and 74th Congress. The quantities owned by dealers and manufacturers have been tabulated separately on a type total basis.

^{2/} The quantities shown as owned by manufacturers include tobacco which is held under dealer registries of manufacturers and also tobacco held by dealers and known to be purchased on order for foreign or domestic manufacturers. The quantities shown as owned by dealers may include some tobacco held by dealers which is earmarked for sale to domestic manufacturers or for export. The table should therefore be considered as representing only the approximate quantities owned respectively by dealers and manufacturers.

^{3/} Includes stocks on the Island of Puerto Rico.

^{4/} For explanation of stocks included in this classification see footnote 6 on page 18.

^{5/} Does not include Sumatra and Java leaf stored in the Free Trade Zone.

Table 6.-Stocks of leaf tobacco owned by dealers and manufacturers, summary by types, October 1, 1950 compared with other quarters ^{1/}

REPORTED WEIGHT

| Type name | U.S. type number | October 1, 1950 ^{2/} | | | July 1, 1950 | October 1, 1949 | July 1, 1949 |
|---|------------------|-------------------------------|-----------|-----------|--------------|-----------------|--------------|
| | | Unstemmed | Stemmed | Total | | | |
| | | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. |
| Old and Middle Belt flue-cured | 11 | 324,798 | 154,888 | 479,686 | 474,465* | 532,638 | 521,504 |
| Eastern North Carolina flue-cured | 12 | 275,907 | 185,916 | 461,823 | 348,520 | 494,486 | 368,722 |
| South Carolina flue-cured (including Southeastern N.C.) | 13 | 231,060 | 128,475 | 359,535 | 241,871 | 377,393 | 251,063 |
| Georgia and Florida flue-cured | 14 | 21,706 | 157,985 | 179,691 | 125,905 | 190,953 | 120,157 |
| Total Flue-cured | 11-14 | 853,471 | 627,264 | 1,480,735 | 1,190,761* | 1,595,470 | 1,261,446 |
| Virginia fire-cured | 21 | 19,239 | 114 | 19,353 | 22,030 | 18,398 | 21,332 |
| Tennessee and Kentucky fire-cured (Eastern District) | 22 | 91,368 | 417 | 91,785 | 100,403 | 87,794 | 99,422 |
| Kentucky and Tennessee fire-cured (Western District) | 23 | 44,018 | 49 | 44,067 | 47,126 | 41,952 | 46,533 |
| Henderson Stemming | 24 | 307 | - | 307 | 307 | 263 | 271 |
| Total Fire-cured | 21-24 | 154,932 | 580 | 155,512 | 169,866 | 148,407 | 167,558 |
| Burley | 31 | 591,159 | 220,692 | 811,851 | 941,021* | 806,290 | 925,930 |
| Low-nicotine | 31-V | 335 | 260 | 595 | 602 | 299 | 309 |
| Southern Maryland | 32 | 40,022 | 13,759 | 53,781 | 47,936 | 47,462 | 46,039 |
| Total Light Air-cured | 31-32 | 631,516 | 234,711 | 866,227 | 989,559* | 854,051 | 972,278 |
| One Sucker | 35 | 36,876 | 1,176 | 38,052 | 42,604 | 35,422 | 40,254 |
| Green River | 36 | 29,323 | 1,086 | 30,409 | 32,224 | 28,211 | 29,680 |
| Virginia sun-cured | 37 | 2,284 | 309 | 2,593 | 3,278 | 2,727 | 3,389 |
| Total Dark Air-cured | 35-37 | 68,483 | 2,571 | 71,054 | 78,106 | 66,360 | 73,323 |
| Pennsylvania Seedleaf | 41 | 101,150 | 4,361 | 105,511 | 118,675* | 95,997 | 109,471 |
| Ohio Filler (Miami Valley) | 42-44 | 22,932 | 1,342 | 24,274 | 25,826 | 22,381 | 24,446 |
| Puerto Rican: | | | | | | | |
| In United States | 46 | 4,380 | 14,746 | 19,126 | 18,354* | 17,562 | 18,950 |
| In Puerto Rico | 46 | 16,659 | 3,025 | 19,684 | 26,692* | 22,488 | 29,083 |
| Total Cigar-Filler | 41-46 | 145,121 | 23,474 | 168,595 | 189,547* | 158,428 | 181,950 |
| Connecticut Valley Broadleaf | 51 | 25,248 | 528 | 25,776 | 28,558* | 24,594 | 28,848 |
| Connecticut Valley Havana Seed | 52 | 22,897 | 320 | 23,217 | 25,540* | 18,400 | 21,553 |
| New York and Pa. Havana Seed | 53 | 1,351 | 14 | 1,365 | 1,431 | 1,502 | 1,826 |
| Southern Wisconsin | 54 | 33,323 | 3,448 | 36,771 | 39,092* | 36,504 | 39,807 |
| Northern Wisconsin | 55 | 37,118 | 996 | 38,114 | 41,576* | 32,862 | 37,768 |
| Georgia and Florida Binder | 56 | 50 | 6 | 56 | 72 | 203 | 113 |
| Total Cigar-Binder | 51-56 | 119,987 | 5,312 | 125,299 | 136,269* | 114,065 | 129,915 |
| Connecticut shade | 61 | 12,256 | 155 | 12,411 | 12,189 | 12,084 | 10,863 |
| Georgia and Florida shade | 62 | 8,543 | 104 | 8,647 | 5,141* | 8,012 | 3,937 |
| Total Cigar-Wrapper | 61-62 | 20,799 | 259 | 21,058 | 17,330* | 20,096 | 14,800 |
| Perique | 72 | - | 521 | 521 | 568 | 539 | 621 |
| Other Miscellaneous Domestic ^{3/} | 73 | 375 | 731 | 1,106 | 940* | 3,275 | 3,354 |
| Total Miscellaneous Domestic | 72-73 | 375 | 1,252 | 1,627 | 1,508* | 3,814 | 3,975 |
| Cuba (Havana) | 81 | 3,673 | 10,539 | 14,212 | 14,388* | 17,042 | 18,997 |
| Sumatra and Java ^{4/} | 82 | 923 | 3 | 926 | 762 | 451 | 500 |
| Philippine Islands (Manila) | 83 | 135 | 41 | 176 | 185 | 159 | 346 |
| Other foreign-grown cigar-leaf | 84 | 30 | 10 | 40 | 46* | 66 | 84 |
| Total Foreign-grown Cigar-leaf | 81-84 | 4,761 | 10,593 | 15,354 | 15,381* | 17,718 | 19,927 |
| Foreign-grown cigarette and smoking tobacco (Turkish and other) | 90 | 141,701 | - | 141,701 | 148,070 | 134,232 | 148,891 |
| Total all types | 11-90 | 2,141,146 | 906,016 | 3,047,162 | 2,936,397* | 3,112,641 | 2,974,063 |

^{1/} These statistics represent the quantity of leaf tobacco reported as owned by all leaf tobacco dealers, manufacturers, quasi-manufacturers, growers' cooperative associations, warehousemen, brokers, holders, and owners except (a) the original growers of tobacco; (b) manufacturers who in the first three quarters of 1949, according to the returns of the Commissioner of Internal Revenue, manufactured less than 35,000 pounds of tobacco, less than 185,000 cigars, or less than 750,000 cigarettes, pursuant to the provisions of the Tobacco Stocks and Standards Act approved January 14, 1929, and the amendments thereto passed in the 72nd and 74th Congress.

^{2/} Subject to revision.

^{3/} For explanation of stocks included in this classification see footnote 6 on page 18.

^{4/} Does not include Sumatra and Java leaf stored in the Free Trade Zone.

* Revisions in July 1 report.

